

L Number	Hits	Search Text	DB	Time stamp
3	172	(select\$3 or present\$3 or display\$3) adj5 (webpage or page or object) with (history or previous\$2 adj (access\$3 or visit\$5) or profile) and (709/\$3 or 370/\$6).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 10:46
4	0	(organiz\$5 or reorganiz\$5) adj5 (webpage or page or object) with (accord\$4 or based) with (pre-determined or predetermined or preselect\$3 or pre-select\$3) with (history or previous\$2 adj (access\$3 or visit\$5) or profile) and (709/\$3 or 370/\$6).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 10:49
5	11	(organiz\$5 or reorganiz\$5) adj5 (webpage or page or object) with (accord\$4 or based) with (pre-determined or predetermined or preselect\$3 or pre-select\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 10:53
6	0	((select\$3 or present\$3 or display\$3) adj5 (webpage or page or object) with (history or previous\$2 adj (access\$3 or visit\$5) or profile) and (709/\$3 or 370/\$6).ccls.) or ((organiz\$5 or reorganiz\$5) adj5 (webpage or page or object) with (accord\$4 or based) with (pre-determined or predetermined or preselect\$3 or pre-select\$3) ) and (accord\$4 or based) with (pre-determined or predetermined or preselect\$3 or pre-select\$3) adj5 (number or times) near10 (access or visit\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 10:51
7	60	(accord\$4 or based) with (pre-determined or predetermined or preselect\$3 or pre-select\$3) adj5 (number or times) near10 (access\$3 or visit\$5) and (370/\$7 or 709/\$3).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 10:52
8	0	((select\$3 or present\$3 or display\$3) adj5 (webpage or page or object) with (history or previous\$2 adj (access\$3 or visit\$5) or profile) and (709/\$3 or 370/\$6).ccls.) or ((organiz\$5 or reorganiz\$5) adj5 (webpage or page or object) with (accord\$4 or based) with (pre-determined or predetermined or preselect\$3 or pre-select\$3) ) and ( (accord\$4 or based) with (pre-determined or predetermined or preselect\$3 or pre-select\$3) adj5 (number or times) near10 (access\$3 or visit\$5) and (370/\$7 or 709/\$3).ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 10:53
9	25641	(re-arrang\$5 or rearrang\$5 or simplif\$7 or organiz\$5 or reorganiz\$5) adj5 (webpage or page or object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 10:54
10	31	((re-arrang\$5 or rearrang\$5 or simplif\$7 or organiz\$5 or reorganiz\$5) adj5 (webpage or page or object)) and (((select\$3 or present\$3 or display\$3) adj5 (webpage or page or object) with (history or previous\$2 adj (access\$3 or visit\$5) or profile) and (709/\$3 or 370/\$6).ccls.) or ((organiz\$5 or reorganiz\$5) adj5 (webpage or page or object) with (accord\$4 or based) with (pre-determined or predetermined or preselect\$3 or pre-select\$3) ) or ( (accord\$4 or based) with (pre-determined or predetermined or preselect\$3 or pre-select\$3) adj5 (number or times) near10 (access\$3 or visit\$5) and (370/\$7 or 709/\$3).ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 11:00
11	6	(present\$5 or display\$3) adj5 (webpage or page or object) with "only" with (times or number) near10 (clicked or accessed or visit\$3) and (709/\$3 or 370/\$6).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 14:49

13	0	(((select\$3 or present\$3 or display\$3) adj5 (webpage or page or object) with (history or previous\$2 adj (access\$3 or visit\$5) or profile) and (709/\$3 or 370/\$6).ccls.) or ((organiz\$5 or reorganiz\$5) adj5 (webpage or page or object) with (accord\$4 or based) with (pre-determined or predetermined or preselect\$3 or pre-select\$3) )) and (accord\$4 or based) with (pre-determined or predetermined or preselect\$3 or pre-select\$3) adj5 (number or times) near10 (access or visit\$5)) and ( @AD<20000911 or @PRAD<20000911 or @RLAD<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 11:33
14	0	(present\$5 or display\$3) with "only" with (times or number) near10 (clicked or accessed or visit\$3) and (((re-arrang\$5 or rearrang\$5 or simplif\$7 or organiz\$5 or reorganiz\$5) adj5 (webpage or page or object)) and (((select\$3 or present\$3 or display\$3) adj5 (webpage or page or object) with (history or previous\$2 adj (access\$3 or visit\$5) or profile) and (709/\$3 or 370/\$6).ccls.) or ((organiz\$5 or reorganiz\$5) adj5 (webpage or page or object) with (accord\$4 or based) with (pre-determined or predetermined or preselect\$3 or pre-select\$3) ) or ( (accord\$4 or based) with (pre-determined or predetermined or preselect\$3 or pre-select\$3) adj5 (number or times) near10 (access\$3 or visit\$5) and (370/\$7 or 709/\$3).ccls.)) and ( @AD<20000911 or @PRAD<20000911 or @RLAD<20000911))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 11:03
12	25	((re-arrang\$5 or rearrang\$5 or simplif\$7 or organiz\$5 or reorganiz\$5) adj5 (webpage or page or object)) and (((select\$3 or present\$3 or display\$3) adj5 (webpage or page or object) with (history or previous\$2 adj (access\$3 or visit\$5) or profile) and (709/\$3 or 370/\$6).ccls.) or ((organiz\$5 or reorganiz\$5) adj5 (webpage or page or object) with (accord\$4 or based) with (pre-determined or predetermined or preselect\$3 or pre-select\$3) ) or ( (accord\$4 or based) with (pre-determined or predetermined or preselect\$3 or pre-select\$3) adj5 (number or times) near10 (access\$3 or visit\$5) and (370/\$7 or 709/\$3).ccls.)) and ( @AD<20000911 or @PRAD<20000911 or @RLAD<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 11:34
15	2270	personaliz\$3 with (webpage or web adj page or page or object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 11:05
16	28115	(custom\$7 or personaliz\$3) with (webpage or web adj page or page or object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 11:35
17	6	( (present\$5 or display\$3) adj5 (webpage or page or object) with "only" with (times or number) near10 (clicked or accessed or visit\$3) and (709/\$3 or 370/\$6).ccls.) and ( @AD<20000911 or @PRAD<20000911 or @RLAD<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 14:52
19	0	((re-arrang\$5 or rearrang\$5 or simplif\$7 or organiz\$5 or reorganiz\$5) adj5 (webpage or page or object)) and (((select\$3 or present\$3 or display\$3) adj5 (webpage or page or object) with (history or previous\$2 adj (access\$3 or visit\$5) or profile) and (709/\$3 or 370/\$6).ccls.) or ((organiz\$5 or reorganiz\$5) adj5 (webpage or page or object) with (accord\$4 or based) with (pre-determined or predetermined or preselect\$3 or pre-select\$3) ) or ( (accord\$4 or based) with (pre-determined or predetermined or preselect\$3 or pre-select\$3) adj5 (number or times) near10 (access\$3 or visit\$5) and (370/\$7 or 709/\$3).ccls.)) and ( @AD<20000911 or @PRAD<20000911 or @RLAD<20000911)) and ((present\$5 or display\$3) adj5 (webpage or page or object) with "only" with (times or number) near10 (clicked or accessed or visit\$3) and (709/\$3 or 370/\$6).ccls.) and ( @AD<20000911 or @PRAD<20000911 or @RLAD<20000911))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 11:35

20	31	((re-arrang\$5 or rearrang\$5 or simplif\$7 or organiz\$5 or reorganiz\$5) adj5 (webpage or page or object)) and (((select\$3 or present\$3 or display\$3) adj5 (webpage or page or object) with (history or previous\$2 adj (access\$3 or visit\$5) or profile) and (709/\$3 or 370/\$6).ccls.) or ((organiz\$5 or reorganiz\$5) adj5 (webpage or page or object) with (accord\$4 or based) with (pre-determined or predetermined or preselect\$3 or pre-select\$3) ) or ( (accord\$4 or based) with (pre-determined or predetermined or preselect\$3 or pre-select\$3) adj5 (number or times) near10 (access\$3 or visit\$5) and (370/\$7 or 709/\$3).ccls.)) and ( @AD<20000911 or @PRAD<20000911 or @RLAD<20000911)) or ((present\$5 or display\$3) adj5 (webpage or page or object) with "only" with (times or number) near10 (clicked or accessed or visit\$3) and (709/\$3 or 370/\$6).ccls.) and ( @AD<20000911 or @PRAD<20000911 or @RLAD<20000911))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 11:35
21	17	((custom\$7 or personaliz\$3) with (webpage or web adj page or page or object)) and (((re-arrang\$5 or rearrang\$5 or simplif\$7 or organiz\$5 or reorganiz\$5) adj5 (webpage or page or object)) and (((select\$3 or present\$3 or display\$3) adj5 (webpage or page or object) with (history or previous\$2 adj (access\$3 or visit\$5) or profile) and (709/\$3 or 370/\$6).ccls.) or ((organiz\$5 or reorganiz\$5) adj5 (webpage or page or object) with (accord\$4 or based) with (pre-determined or predetermined or preselect\$3 or pre-select\$3) ) or ( (accord\$4 or based) with (pre-determined or predetermined or preselect\$3 or pre-select\$3) adj5 (number or times) near10 (access\$3 or visit\$5) and (370/\$7 or 709/\$3).ccls.)) and ( @AD<20000911 or @PRAD<20000911 or @RLAD<20000911)) or ((present\$5 or display\$3) adj5 (webpage or page or object) with "only" with (times or number) near10 (clicked or accessed or visit\$3) and (709/\$3 or 370/\$6).ccls.) and ( @AD<20000911 or @PRAD<20000911 or @RLAD<20000911))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 11:36
22	17	((custom\$7 or personaliz\$3) with (webpage or web adj page or page or object)) and (((re-arrang\$5 or rearrang\$5 or simplif\$7 or organiz\$5 or reorganiz\$5) adj5 (webpage or page or object)) and (((select\$3 or present\$3 or display\$3) adj5 (webpage or page or object) with (history or previous\$2 adj (access\$3 or visit\$5) or profile) and (709/\$3 or 370/\$6).ccls.) or ((organiz\$5 or reorganiz\$5) adj5 (webpage or page or object) with (accord\$4 or based) with (pre-determined or predetermined or preselect\$3 or pre-select\$3) ) or ( (accord\$4 or based) with (pre-determined or predetermined or preselect\$3 or pre-select\$3) adj5 (number or times) near10 (access\$3 or visit\$5) and (370/\$7 or 709/\$3).ccls.)) and ( @AD<20000911 or @PRAD<20000911 or @RLAD<20000911)) or ((present\$5 or display\$3) adj5 (webpage or page or object) with "only" with (times or number) near10 (clicked or accessed or visit\$3) and (709/\$3 or 370/\$6).ccls.) and ( @AD<20000911 or @PRAD<20000911 or @RLAD<20000911)))) and ( @AD<20000911 or @PRAD<20000911 or @RLAD<20000911))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 11:36
23	238	(transmit\$4 or send\$3) adj5 (webpage or page or object) with "only" near10 (times or number or frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 14:51
24	34	(transmit\$4 or send\$3) adj5 "only" adj5 (webpage or page or object) adj10 (times or number or frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 14:53

25	30	( (transmit\$4 or send\$3) adj5 "only" adj5 (webpage or page or object) adj10 (times or number or frequency) ) and ( @AD<20000911 or @PRAD<20000911 or @RLAD<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 14:55
26	106	(present\$5 or display\$3 or transmit\$4 or send\$3) adj5 "only" adj5 (webpage or page or object) adj10 (times or number or frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 14:53
27	0	(present\$5 or display\$3 or transmit\$4 or send\$3) adj5 "only" adj5 (webpage or page or object) adj10 (access\$3 or visit\$3) adj10 (times or number or frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 14:54
28	81	(present\$5 or display\$3 or transmit\$4 or send\$3) adj5 (webpage or page or object) adj10 (access\$3 or visit\$3) adj10 (times or number or frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 14:55
29	46	( (present\$5 or display\$3 or transmit\$4 or send\$3) adj5 (webpage or page or object) adj10 (access\$3 or visit\$3) adj10 (times or number or frequency) ) and ( @AD<20000911 or @PRAD<20000911 or @RLAD<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 14:55
30	2	(( (present\$5 or display\$3 or transmit\$4 or send\$3) adj5 (webpage or page or object) adj10 (access\$3 or visit\$3) adj10 (times or number or frequency) ) and ( @AD<20000911 or @PRAD<20000911 or @RLAD<20000911)) and only adj10 (present\$5 or display\$3 or transmit\$4 or send\$3) adj5 (webpage or page or object) adj10 (access\$3 or visit\$3) adj10 (times or number or frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 14:55